

CE

1035

CANTERAS Y HORMIGONES SANTANDER S.L.

Bº LA VENTA S/N - 39608
IGOLLO DE CAMARGO
CANTABRIA
14
ESPAÑA
PLANTA DE CEMENTO - IGOLLO

Nº CERT.: 1035-CPR-ESS7513

CEMENTOS	CEMENTS - EN 197-1													
	PRODUCT	PRODUCT CODE	COMMON CEMENTS	STRENGTH CLASS (EARLY AND STANDARD)	INITIAL SETTING TIME	INSOLUBLE RESIDUE	LOSS ON IGNITION	VOLUME STABILITY		HEAT OF HIDRATATION	CHLORIDE CONTENT (Cl ⁻)	PUZZOLANICITY	C3A IN CLINKER	DANGEROUS SUBSTANCES
								SOUNDNESS	SULFATE CONTENR (AS SO ₃)					
	CEM II/B(V) 42,5 R	CIBV425R	CEM II B-V	42,5 R	≥ 60 min.	NPD	NPD	≤ 10 mm	≤ 4%	NPD	≤ 0,10%	NPD	NPD	NPD
	CEM IV/A(V) 42,5 N/SR	CIVAV425NSR	CEM IV A-V	42,5 N/SR	≥ 60 min.	NPD	NPD	≤ 10 mm	≤ 3%	NPD	≤ 0,10%	CUMPLE	≤ 8 %	NPD
	CEM IV/B(V) 32,5 N/SR	CIVBV325NSR	CEM IV B-V	32,5 N/SR	≥ 75 min.	NPD	NPD	≤ 10 mm	≤ 3,5%	NPD	≤ 0,10%	CUMPLE	≤ 8 %	NPD

