



1035

CANTERAS Y HORMIGONES SANTANDER S.L.

Bº LA VENTA S/N - 39608
IGOLLO DE CAMARGO
CANTABRIA
06
ESPAÑA
PLANTA DE LERMA

Nº CERT.: 1035-CPR-ES038174-A

MASONRY MORTAR - EN 998-2

MASONRY	PRODUCT	PRODUCT CODE	BOND STRENGTH (N/mm ²)	ADHESION (N/mm ²)	REACTIONS TO FIRE	WATER ABSORTION Kg/(m ² .min ^{0,5})	WATER VAPOUR PERMEABILITY μ	TERMAL CONDUCTIVITY	
								λ10, dry (P=90%)	λ10, dry (P=50%)
	MORTAR M-2,5	M25A-2	> 2,5	0,15	CLASS A1	< 1	15/35	0,93	1,17
	MORTAR M-2,5 H	M25AH-2	> 2,5	0,15	CLASS A1	< 0,2	15/35	0,93	1,17
	MORTAR M-5	M5A-2	> 5	0,15	CLASS A1	< 1	15/35	0,93	1,17
	MORTAR M-5 H	M5HA-2	> 5	0,15	CLASS A1	< 0,2	15/35	0,93	1,17
	MORTAR M-7,5	M75A-2	> 7,5	0,15	CLASS A1	< 1	15/35	0,93	1,17
	MORTAR M-7,5 H	M75HA-2	> 7,5	0,15	CLASS A1	< 0,2	15/35	0,93	1,17
	MORTAR M-10	M10A-2	> 10	0,15	CLASS A1	< 1	15/35	0,93	1,17
	MORTAR M-10 H	M10HA-2	> 10	0,15	CLASS A1	< 0,2	15/35	0,93	1,17

