



1035

CANTERAS Y HORMIGONES SANTANDER S.L.

Bº LA VENTA S/N - 39608
IGOLLO DE CAMARGO
CANTABRIA
06
ESPAÑA
PLANTA DE IGOLLO

Nº CERT.: 1035-CPR-ES0378174-B

MASONRY MORTAR - EN 998-2

MASONRY	PRODUCT	PRODUCT CODE	BOND STRENGTH (N/mm ²)	ADHESION (N/mm ²)	REACTIONS TO FIRE	WATER ABSORTION Kg/(m ² .min ^{0,5})	WATER VAPOUR PERMEABILITY μ	TERMAL CONDUCTIVITY	
								λ10, dry (P=90%)	λ10, dry (P=50%)
								MORTAR M-2,5	M25A-1
MORTAR M-2,5 H	M25AH-1	> 2,5	0,15	CLASS A1	< 0,2	15/35	0,93	1,17	
MORTAR M-5	M5A-1	> 5	0,15	CLASS A1	< 1	15/35	0,93	1,17	
MORTAR M-5 H	M5HA-1	> 5	0,15	CLASS A1	< 0,2	15/35	0,93	1,17	
MORTAR M-7,5	M75A-1	> 7,5	0,15	CLASS A1	< 1	15/35	0,93	1,17	
MORTAR M-7,5 H	M75HA-1	> 7,5	0,15	CLASS A1	< 0,2	15/35	0,93	1,17	
MORTAR M-10	M10A-1	> 10	0,15	CLASS A1	< 1	15/35	0,93	1,17	
MORTAR M-10 H	M10HA-1	> 10	0,15	CLASS A1	< 0,2	15/35	0,93	1,17	

